

**2003 Peanut Sclerotinia**  
**Motley & Collingsworth County**

<b>Treatment</b>	<b>Chemical</b>	<b>Rate Per Acre</b>	<b>Timing DAP</b>
1	Check		
2	Headline 2.09 SC	9 fl. oz.	A, C
	BAS 51004 (Endura)	9 oz.	B, D
3	Bravo 720	1.5 pt	A, C
	Omega 500 F	1.5 pt	B, D

A- 45 DAP

B-60 DAP

C-75 DAP

D-90 DAP

Runner type – Tamrun 96

**Motley Sclerotinia**  
**Harvested October 20, 2003**

<b>Treatment</b>	<b>Rep</b>	<b>Yield/Acre</b>	<b>Grade</b>	<b>% Damaged</b>	<b>% Immature</b>	<b>\$ Value/Acre</b>	<b>Avg \$/Acre</b>
<b>1</b>	1	1525	66%	0%	6%	251	371
	2	2323	63%	0%	7%	368	
	3	3122	67%	0%	7%	494	
<b>2</b>	1	3557	67%	0%	5%	593	622
	2	3775	63%	1%	7%	597	
	3	4138	65%	0%	7%	675	
<b>3</b>	1	2977	65%	0%	6%	484	483
	2	2251	67%	0%	4%	373	
	3	3630	68%	0%	4%	591	

**Collingsworth Sclerotinia**  
**Harvested October 20, 2003**

<b>Treatment</b>	<b>Rep</b>	<b>Yield/Acre</b>	<b>Grade</b>	<b>% Damaged</b>	<b>% Inmature</b>	<b>\$ Value/Acre</b>	<b>Avg \$/Acre</b>
<b>1</b>	1	4574	70%	1%	4%	792	779
	2	3920	70%	0%	5%	682	
	3	4864	73%	0%	3%	864	
<b>2</b>	1	5518	70%	0%	5%	960	965
	2	5227	72%	1%	4%	931	
	3	5881	68%	0%	6%	1004	
<b>3</b>	1	5445	71%	0%	4%	956	918
	2	4792	71%	0%	4%	842	
	3	5445	71%	0%	4%	956	