

**2002 Sclerotinia Blight
Collingsworth County**

Treatment	Chemical	Rate/A	Timing	
1	Experimental A Bravo 720	4.6 oz. 1.5 pt.	75-103 as needed	1-4-6
2	Experimental A Bravo 720	9.2 oz. 1.5 pt.	75-103 as needed	2-6-4
3	Experimental A Bravo 720	13.8 oz. 1.5 pt.	75-103 as needed	3-1-5
4	Experimental A Bravo 720	18.4 oz. 1.5 pt.	75-103 as needed	4-7-9
5	Experimental B Bravo 720	8 oz. 1.5 pt.	75-103 as needed	5-2-1
6	Experimental B Bravo 720	10.6 oz. 1.5 pt.	75-103 as needed	6-2-3
7	Experimental B Bravo 720	12 oz. 1.5 pt.	75-103 as needed	7-5-2
8	Omega 500 Bravo 720	1.5 pt. 1.5 pt.	75-103 as needed	8-10-7
9	BAS 510 Bravo 720	9.14 fl. oz. 1.5 pt.	75-103 as needed	9-8-10
10	Untreated			10-9-8

2 Row Plots – 100' long – 3 Reps

Planted 5/08/02

Harvested 11/08/02

Tamrun 96

**2002 Sclerotinia
Collingsworth County**

Treatment	Yield/A				SMK + SS				DK	% OK				\$/Ton	Value \$/Acre
	Rep 1	Rep 2	Rep 3	Avg.	Rep 1	Rep 2	Rep 3	Avg.		Rep 1	Rep 2	Rep 3	Avg.		
1	4294	4426	4096	4272	75	74	75	75	-	4	2	2	3	370.28	791
2	4096	4559	4228	4294	76	73	76	75	-	4	3	2	3	370.28	795
3	4492	4228	4426	4382	75	73	72	73	-	2	3	6	4	367.31	805
4	4625	4426	4691	4581	76	72	70	73	-	1	4	5	3	363.31	832
5	4625	4162	4096	4294	74	73	73	73	-	6	3	4	4	367.31	841
6	4691	4162	4162	4338	79	73	72	75	-	1	3	4	3	373.08	809
7	5021	4426	4096	4514	72	75	75	74	-	3	2	2	2	363.99	822
8	5219	4360	4162	4580	73	75	72	73	-	2	2	3	2	359.11	822
9	5219	4492	4625	4779	74	73	72	73	-	3	3	3	3	363.31	868
10	3832	3832	4162	3942	77	74	72	74	-	1	3	3	2	363.99	717

Weather Data
2002 Sclerotinia Blight
Collingsworth County

Spray Date	7/24	8/27
Soil Temp	81	66
Air Temp	100	78
Humidity	32%	50%
Wind Speed	7-9 mph	8 mph
Wind Direction	SW	SW
Time of Application	3:20 P.M.	9:30 A.M.
Dew Present	No	No
% Cloud Cover	40%	5%